

PROGRESS NOTES
 O.T.  P.T.  S.T.

Patient: _____ **Medicaid #:** _____
Diagnosis: Speech/Language delay
Precautions: _____
Treatment Frequency/Duration: 1 x weekly for 60 minutes (this is what should be on treatment plan)
Goals: /k/ and /g/ in initial words 90%; Adhere to behavior modification 90%;
Will use past tense and irreg. verbs in phrases 80%; describes in 2-3 steps 80%; Will follow 2-3 step directions;
Increase age approp vocabulary

Date:	3/01/01	3/08/01	3/15/01	3/22/01	3/29/01
Starting & Ending TIME:	9:00-9:45 45 minutes	9:00-9:30 30 minutes	9:00-9:45 45 minutes	9:00-9:45 45 minutes	None
*Total Billable MINUTES:					
S:	Brought by step-dad, interrupted X1 in session to take medication	Session ended early due to Pt. Having severe stomach cramps and could not continue	Behavior disruption as session began, pt. in 2-minute time-out.	None	Pt. cancelled secondary to doctor's appointment.
O:	Imitation of /k/ in medial and final position with 100% acc. /k/ in initial position (imitation) with 65% acc. strident sounds vs. stops concept with 50% acc Followed 2 step directions with manipulatives 80% of the time.	Imitation of /k/ with tongue depressor with 80% in initial pos. /k/ in initial position of words using pics with 20% independently /k/ in medial pos of words in conversation	2-step instructions with prepositions with in front of behind between under on top of next to with 80% acc, immed. Carryover increasing to 100% Counting/calculation with Hi-Ho Cherrio with 90% consistently	/k/ in isolation with 100% acc with open mouth technique 70% consistently /k/ in initial position of words 71% with repeated trials naming pictures (mod verbal cues) lang tx: concepts "more" identifying # of grouped items: pt at 50%	none
A:	Introduced concept of sounds in I,M,F position of words, unsuccessful, Use of tongue depressor on tip of tongue successful 75% of the time for /k/ production.	Carryover of /k/ into conversation in medial position; carryover in production from 0% to 20 % in naming pics with initial /k/	Language tx with quick learning, carryover of 2-step instructions with 100% acc after 2 trials	Increased performance of /k/ with visual/verbal cues with tongue tip behind teeth and open mouth position, Carryover increased from 20 to 70% with /k/ independently with pics	none
P:	Continue current goals, with tongue depressor as aid.	Continue current plan of care	Continue POC (plan of care)	Continue POC, sent not on areas addressed, homework for /k/ carryover	none
THERAPIST:					
Therapist: Sign/Credentials					